

## TOUCH SCREEN KIOSK



\*The image is for reference only, the actual product shall prevail!

### **Product Features:**


1. 32inch to 65inch available
2. Full HD display
3. 3. 3mm tempered glass in front for protection
4. Flexible structure for standalone, android or PC system
5. IR Touch/ PCAP touch available
6. Wide application for retail signage, banks, shopping malls, hotels, restaurants, etc.

Items	V032KDS01	V043KDS01	V049KDS01	V055KDS01	V065KDS01
<b>Display</b>					
Panel Size	32inch	43inch	49/50inch	55inch	65inch
Active Area	697.6845mm(W)×392.256mm(H)	940.24mm(W)×533.26mm(H)	1073.6mm(W)×604.4mm(H)	1209.6mm(W)×680.4mm(H)	1428.48(H) ×803.52(V)mm
Aspect Ratio	16:9	16:9	16:9	16:9	16:9
Contrast Ratio	4000:1	4000:1	4000:1	4000:1	4000:1
View angle	178°(H/V)	178°(H/V)	178°(H/V)	178°(H/V)	178°(H/V)
Brightness	300nits	350nits	350nits	350nits	350nits
Resolution	1920*1080	1920*1080	1920*1080	1920*1080	1920*1080
Panel Life	50000hours	50000hours	50000hours	50000hours	50000hours
Support Color	16.7M	16.7M	16.7M	16.7M	16.7M
Response Time	5ms	8ms	8ms	8ms	8ms
<b>Touch parameter (optional)</b>					
Touch technology	IR Touch/ PCAP Touch				
Touch type	10-point high precision				
Touch resolution	32768*32768/ 4096*4096				
Touch accuracy	±2mm (more than 90% touch area)				
Touch Tool	finger,touch pen,soft pen or finger with gloves				
Response Time	<6ms				
Writing Height	<2mm				
Operating system	Windows/Linux/Mac/Android/Chrome				
<b>Android system options</b>					
Android option 1	CPU	<b>RK3288</b> , quad core, main frequency 1.8GHz			
	RAM+ROM	Standard configuration 2G+8G, optional with 2+16G,4+32G,4+64G;			
	Android system	Android 7.1/Android 10			
Android option 2	CPU	<b>RK3399</b> , hexa-core, main frequency 2.0GHz			
	RAM+ROM	Standard configuration4G+32G, optional with 4+64G;			
	Android system	Android 7.1/Android 10			
Android option 3	CPU	<b>RK3566</b> , quad core, main frequency 1.8GHz			
	RAM+ROM	Standard configuration 2G+16G, optional with 4+32G;			
	Android system	Android 11			
Android option 4	CPU	<b>RK3568</b> , quad-core, main frequency 2.0GHz			
	RAM+ROM	Standard configuration 2G+16G, optional with 4+32G;			
	Android system	Android 11			
Android option 5	CPU	<b>972T</b> , quare core, main frequency 1.9GHz			
	RAM+ROM	Standard configuration 2G+16G, optional with 4+32G;			
	Android system	Android 9.0			
Wireless	WIFI support				
Bluetooth	4.0				
Ethernet	1,10M/100M self-adapting Ethernet				
Ports	2*USB,1*TF, 1*HDMI out, 1*LAN, 1*DC				


Items	V032KDS01	V043KDS01	V049KDS01	V055KDS01	V065KDS01
<b>PC system(optional)</b>					
Processor (optional)	i3: i3-3110M/i3-3120M, dual core, frequency 2.4GHZ DDR3 i3-4000M,dual core, frequency 2.4GHZ DDR3 i3-6100U,dual core, frequency 2.3GHZ DDR3/DDR4 i5: i5-3210M/i5-3230M, dual core, frequency 2.5Ghz DDR3 I5-4200M,dual core, frequency 2.5Ghz DDR3 I5-6200U,dual core, frequency 2.5Ghz DDR3/DDR4 i7: i7-4600M,dual core, frequency 2.9Ghz DDR3 <b>Any processor specs. can be customized</b>				
RAM (optional)	4GB/8GB/16GB optional				
Graphics	Intel UHD Graphics 600/630				
SSD/HDD (optional)	128GB/256GB/512GB M.2 SATA SSD				
USB ports	6				
Ethernet port	1*LAN RJ45(Gigabit)				
Wireless	Wifi 802.11 a/b/g/n/ac 2.4GHz and 5GHz				
Bluetooth	optional				
Audio Ports	1*3.5mm line out				
Operation system	Windows 10 pro (trial version unlicensed)				
<b>Audio</b>					
Speaker	2*8 Ω 5W				
<b>Power Supply</b>					
Voltage	AC 110V-240V, 50HZ/60HZ				
Working power consumption	45W	65W	100W	110W	130W
Standby power consumption	0.5W	0.5W	0.5W	0.5W	0.5W
<b>Environmental</b>					
Operating Temperature	0°C to 40°C (32°F to 104°F)				
Storage Temperature	-15°C to 55°C (-5°F to 131°F)				
Operating Humidity	20% to 80% non-condensing humidity				
Storage Humidity	20% to 90% non-condensing humidity				
<b>Physical specifications</b>					
Panel Dimensions	752 * 446 * 63 mm	995 * 583 * 63 mm	1127 * 658 * 63 mm	1263 * 734 * 63 mm	1482 * 857 * 65 mm
Stand Dimensions	434*370*962mm	648*438*968mm	648*438*968mm	648*438*968mm	648*438*968mm
Panel Packed Dimensions	900*180*600mm	1130*180*720mm	1280*180*820mm	1380*180*900mm	1600*190*990mm
Stand Packed Dimensions	450*450*1030mm	580*580*1060mm	580*580*1060mm	580*580*1060mm	580*580*1060mm
Net Weight	45kg	50kg	58kg	60kg	70kg
Packed Weight	53kg	65kg	70kg	75kg	85kg
Accessories	Power cable 1.5m*1,WIFI antenna*1, key*2				
Certifications	CE FCC ROHS CB				
Warranty	One year				

## Technical Drawings:


### 32inch drawing:



### 43inch drawing:



## 49inch drawing:



## 55inch drawing:

