

## ZERO BEZEL 4K DIGITAL SIGNAGE



\*The image is for reference only, the actual product shall prevail!


### Product Features:

1. 75/86/98 inch available
2. UHD display, 3840\*2160 resolution, 500nits high brightness for indoor use
3. Zero bezel with full screen display
4. Wall mount and floor standing design available
4. System available with standalone, android or PC system
5. Free android based CMS software
6. Wide application for retail signage, shopping malls, hotels, restaurants, etc.


Items	V075FDS02	V086FDS02	V098FDS02
<b>Display</b>			
Panel Size	75inch	86inch	98inch
Active Area	1649.66 X 927.936 mm (H X V)	1872 (W) X 1053 (H) mm	2158.8 (H) x 1214.4 (V) mm
Aspect Ratio	16:9	16:9	16:9
Contrast Ratio	4000:1	4000:1	4000:1
View angle	178°(H/V)	178°(H/V)	178°(H/V)
Brightness	500nits	500nits	500nits
Resolution	3840*2160	3840*2160	3840*2160
Panel Life	50000hours	50000hours	50000hours
Support Color	16.7M	16.7M	16.7M
Response Time	8ms	8ms	8ms
<b>Touch parameter (optional)</b>			
Touch technology	IR Touch		
Touch type	10-point high precision		
Touch resolution	32768*32768/ 4096*4096		
Touch accuracy	±2mm (more than 90% touch area)		
Touch Tool	finger,touch pen,soft pen or finger with gloves		
Response Time	<6ms		
Writing Height	<2mm		
Operating system	Windows/Linux/Mac/Android/Chrome		
<b>Android system options</b>			
Android option 1	CPU	<b>RK3288</b> , quad core, main frequency 1.8GHz	
	RAM+ROM	Standard configuration 2G+8G, optional with 2+16G,4+32G,4+64G;	
	Android system	Android 7.1/Android 10	
Android option 2	CPU	<b>RK3399</b> , hexa-core, main frequency 2.0GHz	
	RAM+ROM	Standard configuration4G+32G, optional with 4+64G;	
	Android system	Android 7.1/Android 10	
Android option 3	CPU	<b>RK3566</b> , quad core, main frequency 1.8GHz	
	RAM+ROM	Standard configuration 2G+16G, optional with 4+32G;	
	Android system	Android 11	
Android option 4	CPU	<b>RK3568</b> , quad-core, main frequency 2.0GHz	
	RAM+ROM	Standard configuration 2G+16G, optional with 4+32G;	
	Android system	Android 11	
Android option 5	CPU	<b>972T</b> , quare core, main frequency 1.9GHz	
	RAM+ROM	Standard configuration 2G+16G, optional with 4+32G;	
	Android system	Android 9.0	
Wireless	WIFI support		
Bluetooth	4.0		
Ethernet	1,10M/100M self-adapting Ethernet		
Ports	2*USB,1*TF, 1*HDMI out, 1*LAN, 1*DC		

Items	V075FDS02	V086FDS02	V098FDS02
<b>PC system(optional)</b>			
Processor (optional)	i3: i3-3110M/i3-3120M, dual core, frequency 2.4GHZ DDR3 i3-4000M,dual core, frequency 2.4GHZ DDR3 i3-6100U,dual core, frequency 2.3GHZ DDR3/DDR4 i5: i5-3210M/i5-3230M, dual core, frequency 2.5Ghz DDR3 I5-4200M,dual core, frequency 2.5Ghz DDR3 I5-6200U,dual core, frequency 2.5Ghz DDR3/DDR4 i7: i7-4600M,dual core, frequency 2.9Ghz DDR3 <b>Any processor specs. can be customized</b>		
RAM (optional)	4GB/8GB/16GB optional		
Graphics	Intel UHD Graphics 600/630		
SSD/HDD (optional)	128GB/256GB/512GB M.2 SATA SSD		
USB ports	6		
Ethernet port	1*LAN RJ45(Gigabit)		
Wireless	Wifi 802.11 a/b/g/n/ac 2.4GHz and 5GHz		
Bluetooth	optional		
Audio Ports	1*3.5mm line out		
Operation system	Windows 10 pro (trial version unlicensed)		
<b>Audio</b>			
Speaker	2*8 Ω 5W		
<b>Power Supply</b>			
Voltage	AC 110V-240V, 50HZ/60HZ		
Working power consumption	255W	320W	390W
Standby power consumption	0.5W	0.5W	0.5W
<b>Environmental</b>			
Operating Temperature	0°C to 40°C (32°F to 104°F)		
Storage Temperature	-15°C to 55°C (-5°F to 131°F)		
Operating Humidity	20% to 80% non-condensing humidity		
Storage Humidity	20% to 90% non-condensing humidity		
<b>Physical specifications</b>			
Dimensions with stand	L947.4 xH1667.7x 145mm	L 1072.6xH1889.6x 156.4	L1235.5 xH2177.5x 156.4mm
Packed Dimensions	L1795 x H1070x W250mm	L2010 x H1200x W250mm	L2310 x H1370x W250mm
N.W. ( wall mount )	31kg	62kg	90kg
GW ( wall mount )	46kg	75kg	110kg
GW (stand basement)	30kg	37kg	40kg
Accessories	Power cable 1.5m*1,WIFI antenna*1, key*2, floor stand basement*1, screws*8, screw driver*1		
Certifications	CE FCC ROHS CB		
Warranty	One year		




## 75inch drawing:



## 86inch drawing:



## 98inch drawing:



### Statement:

The appearance, size and weight may be slight different from the actual product due to the configuration and manufacturing process, and the product images are only used for description. The delivery of the product shall be subject to the specific order details.